Human Anatomy FIFTH EDITION

Saladin



Human Anatomy FIFTH EDITION

Kenneth S. Saladin

Georgia College & State University

Digital Authors

Stephen J. Sullivan Bucks County Community College Christina A. Gan Highline College





HUMAN ANATOMY, FIFTH EDITION

Published by McGraw-Hill Education, 2 Penn Plaza, New York, NY 10121. Copyright © 2017 by McGraw-Hill Education. All rights reserved. Printed in the United States of America. Previous editions © 2014, 2011, and 2008. No part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written consent of McGraw-Hill Education, including, but not limited to, in any network or other electronic storage or transmission, or broadcast for distance learning.

Some ancillaries, including electronic and print components, may not be available to customers outside the United States.

This book is printed on acid-free paper.

 $1\ 2\ 3\ 4\ 5\ 6\ 7\ 8\ 9\ 0$ DOW/DOW $1\ 0\ 9\ 8\ 7\ 6$

ISBN 978-0-07-340370-0 MHID 0-07-340370-9

Senior Vice President, Products & Markets: Kurt L. Strand Vice President, General Manager, Products & Markets: Marty Lange Vice President, Content Design & Delivery: Kimberly Meriwether David Managing Director: Michael S. Hackett Brand Manager: Chloe Bouxsein Director, Product Development: Rose Koos Product Developer: Donna Nemmers Marketing Managers: Jessica Cannavo / James F. Connely Director of Digital Content: Michael G. Koot, PhD Director, Content Design & Delivery: Linda Avenarius Program Manager: Angela R. FitzPatrick Content Project Managers: Vicki Krug / Brent dela Cruz Buyer: Laura M. Fuller Design: David Hash Content Licensing Specialists: Lori Hancock/Lorraine Buczek Cover Image: Human head, x-ray, © Pasieka/Science Photo Library/Getty Images RF; White matter fibers of the human brain, © Pasieka/Science Photo Library/Getty Images; Pyramidal neurons of the cerebral cortex impregnated with the Golgi method, © Jose Luis Calvo/Shutterstock. Compositor: MPS Limited Printer: R. R. Donnelley

All credits appearing on page or at the end of the book are considered to be an extension of the copyright page.

Library of Congress Cataloging-in-Publication Data

Saladin, Kenneth S., author. | Sullivan, Stephen J., author. | Gan, Christina A., author. Human anatomy / Kenneth S. Saladin, Georgia College and State University; digital authors, Stephen J. Sullivan, Bucks County Community College, Christina A. Gan, Highline College.
Fifth edition. | New York, NY : MHE, [2017] | Includes index. LCCN 2015042424 | ISBN 9780073403700 (alk. paper) LCSH: Human anatomy—Textbooks. LCC QM23.2 .S25 2017 | DDC 612—dc23 LC record available at http://lccn.loc.gov/2015042424

The Internet addresses listed in the text were accurate at the time of publication. The inclusion of a website does not indicate an endorsement by the authors or McGraw-Hill Education, and McGraw-Hill Education does not guarantee the accuracy of the information presented at these sites.

Preface viii

PART ONE

Organization of the Body

- 1 The Study of Human Anatomy 1
- 2 Cytology—The Study of Cells 25
- 3 Histology—The Study of Tissues 53
- 4 Human Development 84

PART TWO

Support and Movement

- 5 The Integumentary System 108
- 6 The Skeletal System I: Bone Tissue 131
- 7 The Skeletal System II: Axial Skeleton 151
- 8 The Skeletal System III: Appendicular Skeleton 184
- 9 The Skeletal System IV: Joints 205
- 10 The Muscular System I: Introduction 235
- 11 The Muscular System II: Axial Musculature 263
- 12 The Muscular System III: Appendicular Musculature 293

Atlas of Regional and Surface Anatomy 329

PART FOUR

Maintenance

- 19 The Circulatory System I: Blood 519
- 20 The Circulatory System II: The Heart 539
- 21 The Circulatory System III: Blood Vessels 563
- 22 The Lymphatic System and Immunity 609
- 23 The Respiratory System 631
- 24 The Digestive System 653
- 25 The Urinary System 684

PART FIVE

Reproduction

26 The Reproductive System 703

Appendix A: Answers to Study Guide Questions A-1 Appendix B: Lexicon of Biomedical Word Elements B-1 Glossary G-1 Index I-1

PART THREE


Integration and Control

- 13 The Nervous System I: Nervous Tissue 351
- 14 The Nervous System II: Spinal Cord and Spinal Nerves 371
- 15 The Nervous System III: Brain and Cranial Nerves 398
- 16 The Nervous System IV: Autonomic Nervous System and Visceral Reflexes 442
- 17 The Nervous System V: Sense Organs 460
- 18 The Endocrine System 497

KENNETH SALADIN is Distinguished Professor of Biology at Georgia College & State University, where he has taught since 1977. He received his B.S. in zoology at Michigan State University and his Ph.D. in parasitology at Florida State University. Ken teaches human anatomy and physiology, introduction to medical physiology, histology, premedical seminar, and animal behavior, among other courses. He is a member of the Human Anatomy and Physiology Society, American Association of Anatomists, American Physiological Society, Society for Integrative and Comparative Biology, and American Association for the Advancement of Science. He is the author of the best-selling textbook Anatomy & Physiology: The Unity of Form and Function and coauthor, with Robin McFarland, of Essentials of Anatomy & Physiology. Ken has used the earnings from his textbooks to fund ecosystem conservation and restoration in the Galápagos Islands, to support the Charles Darwin Research Station in the Galápagos, to remodel and equip a Georgia College anatomy laboratory, and to establish multiple student scholarships and an endowed chair in biomedical science and premedical mentoring. Ken and his wife Diane live in Milledgeville, Georgia, and have two adult children in North Carolina.

STEPHEN J. SULLIVAN, digital author for the Connect question bank, has been teaching anatomy and physiology at Bucks County Community College in Pennsylvania since 2002. Steve started consulting with McGraw-Hill on the development of digital tools in 2009. His goal for Connect is to create digital assessments that directly reflect the content and style of Ken Saladin's text, provide student access, and foster student success. Steve is a member of the Human Anatomy and Physiology Society and the American Association of Anatomists, and is a 2013 recipient of the Lindback Award for Distinguished Teaching.

CHRISTINA A. GAN, digital author for the Connect testbank, has been teaching anatomy and physiology, microbiology, and general biology at Highline College in Des Moines, Washington, since 2004. Before that she taught at Rogue Community College in Medford, Oregon, for six years. Christina earned her M.A. in biology from Humboldt State University, researching the genetic variation of mitochondrial DNA in various salmonid species, and is a member of the Human Anatomy and Physiology Society. When she is not in the classroom or developing digital media, she is climbing, mountaineering, skiing, kayaking, sailing, cycling, and mountain biking throughout the Pacific Northwest.











Chris Gan/Yuen Lui Studios

TABLE OF CONTENTS

Preface viii

PART ONE

Organization of the Body



CHAPTER 1 The Study of Human Anatomy

The Scope of Human Anatomy	
The Human Body Plan	
The Language of Anatomy	

CHAPTER 2

Cytology—The Study of Cells	25
The Study of Cells	26
The Cell Surface	30
The Cell Interior	40
The Cell Life Cycle	47

CHAPTER 3

Histology—The Study of Tissues 53


The Study of Tissues	54
Epithelial Tissue	56
Connective Tissue	63
Nervous and Muscular Tissue— Excitable Tissues	72
Glands and Membranes	75
Tissue Growth, Development, Repair, and Death	79

CHAPTER 4 Human Development Gametogenesis and Fertilization f Dr otol D St

Stages of Prenatal Development	
Clinical	
Perspectives	

PART TWO

Support and Movement



CHAPTER 5

C Dr. Yorgos Nikas/Science Source

1

2 8 19

The Integumentary System	108
The Skin and Subcutaneous Tissue	109
Hair and Nails	116
Cutaneous Glands	120
Developmental and Clinical Perspectives	123

CHAPTER 6

The Skeletal System I: **Bone Tissue** . .

Tissues and Organs of the Skeletal System	132
Histology of Osseous Tissue	134
Bone Development	139
Structural Disorders of Bone	145

CHAPTER 7

84	The Skeletal System II: Axial Skeleton	151
85	Overview of the Skeleton	152
87	The Skull	155
	The Vertebral Column and Thoracic Cage	: 167
100	Developmental and Clinical Perspectives	176

CHAPTER 8

The Skeletal System III: **Appendicular Skeleton** 184 The Pectoral Girdle and Upper Limb 185

**	
The Pelvic Girdle and Lower Limb	190
Developmental and Clinical Perspectives	200

CHAPTER 9

The Skeletal System IV: Joints	205
Joints and Their Classification	206
Synovial Joints	209
Anatomy of Selected Synovial Joints	220
Clinical Perspectives	230

CHAPTER 10

The Muscular System I:	
Introduction	235
Muscle Types and Functions	236
General Anatomy of Muscles	237
Microscopic Anatomy of Skeletal Mus	cle 244
Relating Structure to Function	250
Cardiac and Smooth Muscle	254
Developmental and Clinical Perspectiv	es 257

CHAPTER 11

131

	The Muscular System II:	
134	Axial Musculature	263
139	Learning Approaches	264
	Muscles of the Head and Neck	268
145	Muscles of the Trunk	279

CHAPTER 12


The Muscular System III: Appendicular Musculature	293
Muscles Acting on the Shoulder and Upper Limb	294
Muscles Acting on the Hip and Lower Limb	310
Muscle Injuries	324

ATLAS A

Atlas of Regional and Surface Anatomy	329
Introduction	330
The Head and Neck	331
The Trunk	333
The Upper Limb	344
The Lower Limb	346
Test of Muscle Recognition	350

PART THREE

Integration and Control



CHAPTER 13

The Nervous System I: Nervous Tissue	351
Overview of the Nervous System	352
Nerve Cells (Neurons)	353
Supportive Cells (Neuroglia)	357
Synapses and Neural Circuits	361
Developmental and Clinical Perspectives	365

CHAPTER 14

The Nervous System II: Spinal Cord and Spinal Nerves	371
The Spinal Cord	372
The Spinal Nerves	379
Somatic Reflexes	391
Clinical Perspectives	393

CHAPTER 15

The Nervous System III: **Brain and Cranial Nerves**

Overview of the Brain	399
The Hindbrain and Midbrain	406
The Forebrain	413
The Cranial Nerves	427
Developmental and Clinical Perspectives	437

CHAPTER 16

The Nervous System IV: Autonomic Nervous System and Visceral Reflexes

General Properties of the Autonomic Nervous System	443
Anatomy of the Autonomic Nervous System	446
Autonomic Effects	453
Developmental and Clinical Perspectives	456

CHAPTER 17


The Nervous System V:	
Sense Organs	460
Receptor Types and the General Senses	461
The Chemical Senses	466
The Ear	470
The Eye	480
Developmental and Clinical Perspectives	491

CHAPTER 18

497 The Endocrine System Overview of the Endocrine System 498 The Hypothalamus and Pituitary Gland 500 Other Endocrine Glands 504 Developmental and Clinical Perspectives 512

PART FOUR

Maintenance



CHAPTER 19

The Circulatory System I: 519 Blood 520 Introduction Erythrocytes 523 Leukocytes 527 Platelets 532 **Clinical Perspectives** 534

442

398

CHAPTER 20

The Circulatory System II:	
The Heart	539
Overview of the Cardiovascular System	540
Gross Anatomy of the Heart	543
Coronary Circulation	549
The Cardiac Conduction System and Cardiac Muscle	552
Developmental and Clinical Perspectives	557

CHAPTER 21

The Circulatory System III:	
Blood Vessels	563
General Anatomy of the Blood Vessels	564
The Pulmonary Circuit	572
Systemic Vessels of the Axial Region	573
Systemic Vessels of the Appendicular Region	590
Developmental and Clinical Perspectives	601

CHAPTER 22

The Lymphatic System and Immunity

610
615
623
626

CHAPTER 23

The Respiratory system	631
Overview of the Respiratory System	632
The Upper Respiratory Tract	633
The Lower Respiratory Tract	637
Neuromuscular Aspects of Respiration	643
Developmental and Clinical	
Perspectives	647

CHAPTER 24

609

The Digestive System	653
Digestive Processes and General Anatomy	654
The Mouth Through Esophagus	658
The Stomach	664
The Small Intestine	667
The Large Intestine	671
Accessory Glands of Digestion	673
Developmental and Clinical Perspectives	678

CHAPTER 25

The Urinary System	684
Functions of the Urinary System	685
The Kidney	686
The Ureters, Urinary Bladder, and Urethra	695
Developmental and Clinical Perspectives	697

PART FIVE

Reproduction



CHAPTER 26The Reproductive System703Sexual Reproduction704The Male Reproductive System705The Female Reproductive System715Developmental and Clinical Perspectives727

Appendix A: Answers to Study Guide Questions A-1 Appendix B: Lexicon of Biomedical Word Elements B-1 Glossary G-1 Index I-1 Saladin's *Human Anatomy* goes beyond descriptions of body structure to read as a story that weaves together basic science, clinical applications, the history of medicine, and the evolutionary basis of human structure. Saladin combines this humanistic perspective with vibrant photos and art to convey the beauty and excitement of the subject to beginning students.

New to the Fifth Edition

New Scientific Information

This fifth edition features new and updated scientific content on the limitations and applications of MRI and PET scans (chapter 1); pseudopods and ciliopathies (chapter 2); the pathogenesis of pressure sores (chapter 3); causes of spontaneous abortion (chapter 4); skin grafting with atomized spray-on stem cells (chapter 5); the reemergence of polio due to anti-vaccination politics (chapter 14); and the newly recognized pancreatic hormone amylin (chapter 18).

This edition also offers new functional perspectives on biomechanics of the fingernails (chapter 5) and patella (chapter 8); myoglobin (chapter 10); serratus posterior muscles (chapter 11); linguistic functions of the right cerebral hemisphere (chapter 15); lamellar corpuscles (chapter 17); the trabeculae carneae and papillary muscles of the heart (chapter 20); the spleen (chapter 22); the shape and interfaces between pulmonary alveoli (chapter 23); and oogenesis and folliculogenesis (chapter 26). Chapter 21 offers new Deeper Insight essays on air embolism and central venous catheters.

New Perspectives

This edition follows *Gray's Anatomy* and other leading authorities in dispensing with *origin* and *insertion* terminology for muscle attachments (for reasons explained on page 241). The muscle tables in chapters 11 and 12 now list muscle attachments without calling them by these increasingly obsolete terms. Muscle innervations are also simplified in these tables by citing the major cranial and spinal nerves rather than their finer branches.

This edition updates many other anatomical terms and deletes most eponyms in keeping with the *Terminologia Anatomica*. It deletes or de-emphasizes other commonly held but erroneous beliefs such as lactic acid as a cause of muscle fatigue (chapter 10), discredited stories such as Phineas Gage's brain trauma effects (chapter 15), the long-believed absence of lymphatic vessels from the CNS (chapter 22), and obsolete practices such as gallstone lithotripsy (chapter 24).

New Art and Photography

This edition has more than 90 changes in the art program ranging from fine adjustments in art and labeling to entirely new figures of pseudopods (fig. 2.14), structure of the nucleus (fig. 2.18), and proteasomes (fig. 2.19c). Improvements have been made in depictions of the optic radiation of the brain (fig. 17.30) and intercalated discs of cardiac muscle (fig. 20.14). Color keys to the bones have been added to all of the skull art in chapter 7.

New and better photography will be found in these pages for the cerebral angiogram (fig. 1.3b); fluorescent-stained cytoskeleton (fig. 2.16b); the 20-week fetus in utero (fig. 4.11f); basal cell carcinoma (fig. 5.13a); persons exhibiting spinal osteoporosis (fig. 6.16c), peripheral edema (fig. 22.2); the developmental effect of thalidomide (fig. 4.15); X-ray anatomy of the hand (fig. 8.5c); dissection of the ankle (fig. 9.26b); vascular casts of skeletal muscle and the thyroid gland (figs. 10.13 and 21.2); histology of lymphatic nodules (fig. 22.8); the lung (fig. 23.10); the pituitary and adrenal glands (figs. 18.3 and 18.8); and new electron micrographs of erythrocytes in a capillary (fig. 19.3c), an eosinophil (fig. 19.7), macrophage action (fig. 22.7), gastric pits (fig. 24.12), the renal glomerulus (fig. 25.9), and seminiferous tubules (fig. 26.4).

What Else Is New?

Saladin has added two full-page illustrated summaries of the levels of skeletal muscle structure (table 10.1) and cranial nerve pathways (fig. 15.24), enabling students to step back from the details and see the big picture. Expected Learning Outcomes for each chapter section are now listed by letter (in place of bullet points) for easier reference or assignment by instructors, and are reinforced with Assess Your Learning Outcomes in the Study Guide at the end of each chapter. Feedback from students in his own classroom and e-mails from students worldwide have led Ken to rewrite several passages for economy of words and greater conceptual clarity.

A Storytelling Writing Style

Students and instructors alike cite Saladin's prose style as the number one attraction of this book. Students doing blind comparisons of Ken Saladin's chapters and those of other anatomy books routinely find Saladin clearly written, easy to understand, and a stimulating, interesting read. Saladin's analogy-rich writing enables students to easily visualize abstract concepts in terms of everyday experience.

Such dimensions are more impressive when we scale them up to the size of familiar objects. If the soma of a spinal motor neuron was the size of a tennis ball, its dendrites would form a huge bushy mass that could fill a 30-seat classroom from floor to ceiling. Its axon would be up to a mile long but a little narrower than a garden hose. This is quite a point to ponder. The neuron must assemble molecules and organelles in its "tennis ball" soma and deliver them through its "mile-long garden hose" to the end of the axon.

EVOLUTION OF A STORYTELLER

Ken Saladin's penchant for writing began early. For his 10th-grade biology class, he wrote a 318-page monograph on hydras with 53 original India ink drawings and 10 original photomicrographs. We at McGraw-Hill think of this as Ken's "first book." At a young age, Ken already was developing his technical writing style, research habits, and illustration skills.



Ken Saladin's "first book," *Hydra Ecology* (1965)




Some of Ken's first pen-and-ink artwork (1965)






Ken in 1964




Ken's first textbook published in 1997

Ken served as an A&P textbook reviewer and testbank writer for several years and then embarked on his first book for McGraw-Hill in 1993. He published the first edition of *Anatomy & Physiology: The Unity of Form and Function* in 1997 and his first edition of *Human Anatomy* in 2004. The story continues with *Human Anatomy*, fifth edition.



The story continues in 2016




Essentials book published in 2013


GUIDED TOUR

Instructive Artwork for Visual Learners


Saladin's stunning illustrations and photos entice students who regard themselves as "visual learners."

Vivid Illustrations with rich textures and shading and bold, bright colors bring anatomy to life.






Process Figures relate numbered steps in the art with corresponding numbered text descriptions.



Orientation Tools, like dissection planes and a compass on the anatomical art, clarify the perspective from which a structure is viewed.



The Psychology of Learning

Having taught human anatomy for 38 years, Saladin knows what works in the classroom and incorporates those approaches into the pedagogy of *Human Anatomy*.

Chapters Organized for Preview and Review

- Chapter Outline provides a content preview and facilitates review and study.
- **Deeper Insights** pique the interest of health-science students by showing the clinical relevance of the core science.
- **Brushing Up** reminds students of the relevance of earlier chapters to the one on which they are currently embarking.
- Anatomy & Physiology REVEALED[®] icons indicate which area of this interactive cadaver dissection program corresponds to the chapter topic.



Overview of 7.1 the Skeleton

Expected Learning Outcomes

When you have completed this section, you should be able to

- a. define the two subdivisions of the skeleton;
- b. state the approximate number of bones in the adult body;c. explain why this number varies with age and from one
- person to another; and
- d. define several terms that denote surface features of bones.

Before You Go On

Answer the following questions to test your understanding of the preceding section:

- 1. Name the major components of the axial skeleton. Name those of the appendicular skeleton.
- Explain why an adult does not have as many bones as a child does. Explain why one adult may have more bones than another adult of the same age.
- Briefly describe each of the following bone features: condyle, epicondyle, process, tubercle, fossa, sulcus, and foramen.

Reinforced Learning

Each section is a conceptually unified topic, framed between a pair of learning "bookends"—a set of learning objectives at the beginning and a set of review and self-testing questions at the end. Each section is numbered for easy reference in lecture, assignments, and ancillary materials.

- **Expected Learning Outcomes** give the student a preview of key points to be learned within the next few pages.
- **Before You Go On** prompts the student to pause and spot-check his or her mastery of the previous few pages before progressing to new material.

Vocabulary Building

Several features help build a student's level of comfort with medical vocabulary.

- **Pronunciation Guides** Knowing proper pronunciation is key to remembering and spelling terms. Saladin gives simple, intuitive "pro-NUN-see-AY-shun" guides to help students over this hurdle and widen the student's comfort zone for medical vocabulary.
- **Word Origins** Accurate spelling and insight into medical terms are greatly enhanced by a familiarity with commonly used word roots, prefixes, and suffixes.
- **Footnotes** throughout the chapters help build the student's working lexicon of word elements. An end-of-book Glossary provides clear definitions of the most important or frequently used terms.
- **Building Your Medical Vocabulary** An exercise at the end of each chapter helps students creatively use their knowledge of new medical word elements.

Types of Neuroglia

There are six major categories of neuroglia, each with a unique function (table 13.1). Four types occur only in the central nervous system (fig. 13.6):

1. **Oligodendrocytes**¹⁵ (OL-ih-go-DEN-dro-sites) somewhat resemble an octopus; they have a bulbous body with as many as 15 armlike processes. Each process reaches out to a nerve fiber and spirals around it like electrical tape wrapped repeatedly around a wire. This wrapping, called the *myelin sheath*, insulates the nerve fiber from the extracellular fluid and speeds up signal conduction in the nerve fiber.

 15 oligo = few; dendro = branches; cyte = cell

Building Your Medical Vocabulary

State a medical meaning of each of the following word elements, and give a term in which it is used.

- 1. -ic
- 2. somato-
- 3. neuro-

- 4. lipo 5. dendro-
- 6. -ite
- 7. pseudo-
- 8. oligo-

9. fer-10. sclero-

Answers in appendix A

Self-Assessment Tools

Saladin provides students with abundant opportunities to evaluate their comprehension of concepts. A wide variety of questions from simple recall to analytical evaluation cover all six cognitive levels of Bloom's Taxonomy of Educational Objectives.

- Before You Go On questions test simple recall and lower-level interpretation of information read in the previous few pages.
- Apply What You Know tests a student's ability to think of the deeper implications or clinical applications of a point he or she just read.

· The placenta. This organ performs many functions in The placental, including fetal nutrition and waste removal. But it also secretes estrogen, progesterone, and other hormones that regulate pregnancy and stimulate development of the fetus and the mother's mammary glands.

Apply What You Know

Often, two hormones have opposite (antagonistic) effects on the same target organs. For example, oxytocin stimulates labor contractions, and progesterone inhibits premature labor. Name some other examples of antagonistic effects among the hormones in this chapter.

You can see that the endocrine system is extensive. It includes numerous discrete glands as well as individual cells in the tissues of other organs. The endocrine organs and tissues other than the hypothalamus and pituitary are reviewed in table 18.3.

Before You Go On

- Answer the following questions to test your understanding of the eceding section. Name two endocrine glands that are larger in children than in adults. What are their functions?
- 10. What hormone increases the body's heat production in cold weather? What other functions does this hormone have?
- Name the main hormone secreted by each layer of the adrenal cortex and one secreted by the adrenal medulla, and state the function of each.
- 12. What is the difference between a gonadal hormone and a gonadotropin? 13. What hormones are most important in regulating blood
- glucose concentration? What cells produce them? Where are these cells found? Name one hormone produced by each of the following organs—the heart, liver, and placenta—and state the function of each hormone. 14.

Figure Legend Questions posed in many of the figure legends prompt the student to interpret the art and apply it to the reading.




Figure 10.1 Skeletal Muscle Fibers.

 What tissue characteristics evident in this photo distinguish this from cardiac and smooth muscle?

.....

- Testing Your Recall sections at the end of each chapter offer 20 simple recall questions to test retention of terminology and basic ideas.
- True or False statements require students not merely to evaluate their truth, but also to concisely explain why the false statements are untrue, or rephrase them in a way that makes them true.
- Testing Your Comprehension questions are clinical application and other interpretive essay questions that require the student to apply the chapter's basic science to clinical or other scenarios.

 The hip bone is attached to the axial skel- eton through its auricular surface. articular cartilage. public symphysis. could tubercle. 	 Compared to the male pelvis, the pelvis of a female a. has a less movable coccyx. b. has a rounder pelvic inlet. c. is narrower between the iliac crests. d. has a narrower public arch. 	 The disc-shaped head of the radius articulates with the of the humerus. a. radial tuberosity b. trochlea c. capitulum d. ofcranon process
e. coronoid process. 2. Which of these bones supports the most body weight? a. ilium b. pubis c. femur	 e. has a narrower sacrum. 5. The lateral and medial malleoli are most similar to a. the radial and ulnar styloid processes. b. the humeral capitulum and trochlea. c. the acromion and coracoid process. 	e. glenoid cavity 8. All of the following are carpal bones except the, which is a tarsal bone. a. trapezium d. triquetrum b. caboid e. pisiform c. trapezoid
d. tibiae. talus3. Which of these structures can be most easily palpated on a living person?a. the deltoid tuberosity	 d. the base and head of a metacarpal bone. e. the anterior and posterior superior iliac spines. 6. When you rest your hands on your hips, you are resting them on 	 The bone that supports your body weigh when you are sitting down is the acetabulum. the coccyx. the pubis. the ilum.
 b. the greater sciatic notch c. the medial malleolus d. the coracoid process of the scapula e. the glenoid cavity 	 a. the pelvic inlet. b. the pelvic outlet. c. the pelvic brim. d. the illac crests. e. the auricular surfaces. 	 Which of these is the bone of the heel? a. cuboid d. trochlear b. calcaneus e. talus c. navicular

True or False

- Determine which five of the following statements are false, and briefly explain why.
- 1. There are more carpal bones than tarsal
- bones.
 2. The hands have more phalanges than the feet.
 3. The upper limb is attached to the axial skeleton at only one point, the acromicelavicular joint.
 4. On a living person, it would be possible to palpate the muscles in the infraspinous fossa but not those of the subscapular fossa.

Testing Your Comprehension

- In adolescents, trauma sometimes separates the head of the femur from the neck. Why do you think this is more common in adolescents than in adults?
 By palquing the hind leg of a cut or dog or examining a laboratory skeleton, you can see that cuts and dogs stand on the heads of their metataraal bones: the calcaneus does not took the around. Heavi their circlescent on the server of the server of theory their circlescent set to the server of theory in the circlescent set to the server of theory in the circlescent set to the server of theory in the circlescent set to the set of the server set to the server of theory in the circlescent set of the set of
- 17 and 20 years of age. What skeletal features would have been most useful for determining the sex and approximate age of the individual?
 4. A surgeon has removed 8 cm of Joan's radius because of ostosarcoma, a hone cancer, and repleced in with a graft taken from one of the bones of Joan's lower limb. Whet because down think mould have limb. their metatarsal bones; the calcaneus does not touch the ground. How is this similar to the stance of a woman wearing high-heeled shoes? How is it different? A deer hunter discovers a human skeleton in the woods and notifies authorities. A news report on the finding describes it as the body of an unidentified male between What bone do you think would most likely be used as the source of the graft? Explain
 - your answer. 5. Andy, a 55-year-old, 75 kg (165-pound) roofor, is shingling the steeply pitched roof of a new house when he loses his footing and slides down the roof and over

In strict anatomical terminology, the words arm and leg both refer to regions with only one bone.

one bone. 6. If you rest your chin on your hands with your elbows on a table, the olecranon of the ulna rests on the table. 7. The most frequently broken bone in humans is the humerus.

The proximal end of the radius articulates with both the humerus and ulna.

9. The pisiform bone and patella are both

 The pelvic outlet is the opening in the floor of the greater pelvis leading into the lesser pelvis

Answers in appendix A

the edge, feet first. He braces himself for the fall, and when he hits the ground, he cries out and doubles up in exerciciating pain. Emergence medical exclusion called to the scene tell him he has boken his hips. Describer, more specifically, where his fractures most likely occurred. On the way to the hospital, Andy says, "You know it's fampy, when I was a kid, never got hurt." Why do you think Andy was more at risk of a fracture as an adult than he was as a boy?

DEEPER INSIGHT


7.3

Abnormal Spinal Curvatures

Abnormal spinal curvatures (fig. 7.21) can result from abdominal weight gain in obesity or pregnancy; poor posture; weakness or paralysis of the trunk muscles; some diseases; or congenital defects in vertebral anatomy. The most common deformity is an abnormal lateral curvature called *scoliosis*. It occurs most often in the thoracic region, particularly among adolescent girls. It sometimes results from a developmental abnormality in which the body and arch of a vertebra fail to develop on one side. If the person's skeletal growth is not yet complete, scoliosis can be corrected with a back brace.

An exaggerated thoracic curvature is called *kyphosis* (hunchback, in lay language). It is usually a result of osteoporosis, but it also occurs in people with osteomalacia or spinal tuberculosis and in adolescents who engage heavily in such sports as wrestling and weight lifting. An exaggerated lumbar curvature is called *lordosis* (swayback). It can have the same causes as kyphosis, or it can result from added abdominal weight in pregnancy or obesity.

Figure 7.21 Abnormal Spinal Curvatures. (a) Scoliosis, an abnormal lateral deviation. (b) Kyphosis, an exaggerated thoracic curvature common in old age. (c) Lordosis, an exaggerated lumbar curvature common in pregnancy and obesity.



Making it Relevant

Deeper Insight essays cover the clinical application of basic science. Some Deeper Insight boxes highlight medical history and evolutionary interpretations of human structure and function.

MCGRAW-HILL EDUCATION TEACHING AND LEARNING TOOLS

McGraw-Hill Education A&P: We Have Learning Down to a Science!

At McGraw-Hill Education, we work every day to unlock the full potential of each learner. Our mission is to accelerate learning through intuitive, engaging, efficient and effective experiences—grounded in research. MHE Anatomy & Physiology is your trusted, data-driven partner in A&P education. Since 2009, our adaptive programs in A&P have hosted 600,000 unique users who have answered more than 600 million probes, giving us the only data-driven solutions to help your students get from their first college-level course to program readiness.

LearnSmart® Prep is an adaptive learning tool that prepares students for college-level work in Anatomy & Physiology. Prep for Anatomy & Physiology now comes standard to students with Connect. The tool individually identifies concepts the student does not fully understand and provides learning resources to teach essential concepts so students enter the classroom prepared. Data-driven reports highlight areas where students are struggling, helping to accurately identify weak areas.

Anatomy & Physiology | REVEALED[®] is now mobile! Also, available in Cat and Fetal Pig

versions.



Concept Overview Interactives combine multiple concepts into one big-picture summary. These striking, visually dynamic presentations offer a review of previously covered material in a creatively designed environment to emphasize how individual parts fit together in the understanding of a larger mechanism or concept. Concept Overview Interactive modules have assessable, auto-graded learning activities in Connect[®], can be used as a self-study tool for students, and are also provided separately to instructors as classroom presentation tools.







Required=Results



McGraw-Hill Connect[®] Learn Without Limits

Connect is a teaching and learning platform that is proven to deliver better results for students and instructors.

Connect empowers students by continually adapting to deliver precisely what they need, when they need it, and how they need it, so your class time is more engaging and effective.

88% of instructors who use **Connect** require it; instructor satisfaction **increases** by 38% when **Connect** is required.


Analytics-


Connect Insight[®]

Connect Insight is Connect's new one-of-a-kind visual analytics dashboard—now available for both instructors and students—that provides at-a-glance information regarding student performance, which is immediately actionable. By presenting assignment, assessment, and topical performance results together with a time metric that is easily visible for aggregate or individual results, Connect Insight gives the user the ability to take a just-in-time approach to teaching and learning, which was never before available. Connect Insight presents data that empowers students and helps instructors improve class performance in a way that is efficient and effective.

Mobile-

Connect's new, intuitive mobile interface gives students and instructors flexible and convenient, anytime-anywhere access to all components of the Connect platform.





Students can view their results for any **Connect** course.

		10 00	
Devid Ocholeman	LATE Accessing week 1 sold	PRACTICE.	
	TATE (1) Collection () and a provide of the provide (
	Late CH 02 Guis Internediate	gent	
	The Case Congress 4	interpreter a	
T Class	NAME FOR - DOM: ADDR. STORAGE CALL		
1	Ch 05. Di sean Vacadularie Biele di 20 ⁻ Anatorio steanen di . Statorico initi	15	
G) terest	CH 85 States of Consciousness strain state - date states - descendences an Architecture	********	
	Guir - Entre Credit Tradit Three - Back Tables - American and 1001 (2017) and 100	- Barriel	
	Ch 52. Ex la universidad Vecadularia	1.5	
connect	BUR SET - POPPER MANNER HE - DEPART OF	100	

Adaptive



More students earn **A's** and **B's** when they use McGraw-Hill Education **Adaptive** products.

SmartBook[®]

Proven to help students improve grades and study more efficiently, SmartBook contains the same content within the print book, but actively tailors that content to the needs of the individual. SmartBook's adaptive technology provides precise, personalized instruction on what the student should do next, guiding the student to master and remember key concepts, targeting gaps in knowledge and offering customized feedback, driving the student toward comprehension and retention of the subject matter. Available on smartphones and tablets, SmartBook puts learning at the student's fingertips—anywhere, anytime.

Over **4 billion questions** have been answered, making McGraw-Hill Education products more intelligent, reliable, and precise. THE FIRST AND ONLY **ADAPTIVE READING EXPERIENCE** DESIGNED TO TRANSFORM THE WAY STUDENTS READ

STUDENTS WANT SMARTBOCK* 95% of students reported SmartBook to be a more effective way of reading material of students want to use the Practice Quiz feature available within SmartBook to help them study

of students reported having reliable access to off-campus wifi

of students say they would purchase
SmartBook over print alone

95%

100

90

reported that **SmartBook** would impact their study skills in a positive way

Mc Graw Hill Education

Findings based on a 2015 focus group survey at Pellissippi State community College administered by McGraw-Hill Education I wish to thank the hundreds of colleagues who have reviewed my writing over the years and tremendously contributed to the factual accuracy, scientific currency, and presentation style of the book before you. Much of this has come about through revising my flagship book, *Anatomy & Physiology: The Unity of Form and Function*, through seven editions. *Human Anatomy* and my book coauthored with Robin McFarland, *Essentials of Anatomy & Physiology*, have derived their own content improvements as they follow in the wake of the heavily reviewed two-semester textbook.

In addition to commissioned reviews of my chapters, spontaneous feedback from other instructors and from students all over the world has been enormously stimulating and helpful in the incessant effort to approach that elusive asymptote called textbook perfection. I'm deeply appreciative of all the encouragement, information, corrections, and suggestions these readers have sent, and I look forward to many more years of such productive correspondence.

My digital team—Steve Sullivan and Chris Gan—have greatly increased the educational value of these books through their work to create self-assessment tools and align McGraw-Hill's Connect resources with the textbook. This has contributed greatly to student and instructor satisfaction with our overall package of learning media, and to the students' success as they master A&P en route to their career aspirations. I am delighted to have them on my team—all for one, and one for all! Thank you so much for what you do to adapt my product to the needs of our students.

I would also like to extend appreciation to members of the Life Sciences Book Team at McGraw-Hill Education who have worked with me on this project, including Amy Reed, Senior Brand Manager; Chloe Bouxsein, Brand Manager; Donna Nemmers, Senior Product Developer; Vicki Krug, Senior Content Project Manager; Lori Hancock, Senior Content Licensing Specialist; Brent dela Cruz, Senior Content Project Manager; David Hash, Senior Designer Jeanne Patterson, freelance Copyeditor; and Julie De Adder, Photo Researcher. Their efforts have yielded another great edition of the text and its companion media suite of Connect products.

Ken Saladin

Georgia College & State University

Dear Students,

When I was a young boy, I became interested in what I then called "nature study" for two reasons. One was the sheer beauty of nature. I reveled in children's books with abundant, colorful drawings and photographs of animals, plants, minerals, and gems. It was this esthetic appreciation of nature that made me want to learn more about it and made me happily surprised to discover I could make a career of it. At a slightly later age, another thing that drew me still deeper into biology was to discover writers who had a way with words—who could captivate my imagination and curiosity with their elegant prose. Once I was old enough to hold part-time jobs, I began buying zoology and anatomy books that mesmerized me with their gracefulness of writing and fascinating art and photography. I wanted to write and draw like that myself, and I began learning from "the masters." I spent many late nights in my room peering into my microscope and jars of pond water, typing page after page of manuscript, and trying pen and India ink as an art medium. My "first book" was a 318-page paper on some little pond animals called hydras, with 53 illustrations, that I wrote for my tenth-grade biology class when I was 16 (see p. ix).

Fast forward about 30 years to when I became a textbook writer, and I found myself bringing that same enjoyment of writing and illustrating to my own anatomy and physiology textbooks. Why? Not only for its intrinsic creative satisfaction, but because I'm guessing that you're like I was—you can appreciate a book that does more than simply give you the information you need. You appreciate, I trust, a writer who makes it *enjoyable* for you through scientific, storytelling prose and a conceptualized way of illustrating things to spark interest and facilitate understanding. Some of you probably think of yourselves as "visual learners" and others as "verbal learners." Either way, I hope this book will serve your learning style.

I know from my own students, however, that you need more than captivating illustrations and enjoyable reading. Let's face it—A&P is a complex subject and it may seem a formidable task to acquire even a basic knowledge of the human body. It was difficult even for me to learn (and the learning never ends). So in addition to simply writing this book, I've given a lot of thought to what we call pedagogy—the art of teaching. I've designed my chapters to make them easier for you to study and to give you abundant opportunity to check whether you've understood what you read—to test yourself (as I advise my own students) before the instructor tests you. In later editions, we brought on a team of digital authors to produce online learning aids that students have commended as extremely helpful to them in learning human anatomy.

Each chapter is broken down into short, digestible bits with a set of learning goals (Expected Learning Outcomes) at the beginning of each section, and self-testing questions (Before You Go On) just a few pages later. Even if you have just 30 minutes to read during a lunch break or a bus ride, you can easily read or review one of these brief sections. There are also numerous self-testing questions at the end of each chapter, in some of the figure legends, and the occasional Apply What You Know questions dispersed through each chapter. The questions cover a broad range of cognitive skills, from simple recall of a term to your ability to evaluate, analyze, and apply what you've learned to new clinical situations or other problems.

The Guided Tour on page xii takes you through the learning aids we've created for you within the book itself and additional study aids available within Connect. I hope you will take a little time to look at the Guided Tour to see what we have to offer you. The Preface on page x goes a little deeper into my thinking behind the book's design and content and will also help you get more out of your experience.

I hope you enjoy your study of this book, but I know there are always ways to make it even better. Indeed, what quality you may find in this edition owes a great deal to feedback I've received from students all over the world. If you find any typos or other errors, if you have any suggestions for improvement, if I can clarify a concept for you, or even if you just want to comment on something you really like about the book, I hope you'll feel free to write to me. I correspond quite often with students and would enjoy hearing from you.

DEDICATION

This book is dedicated to my son Emory. Ken Saladin Georgia College & State University Milledgeville, GA 31061 (USA) ken.saladin@gcsu.edu



A new life begins—a human embryo on the point of a pin (scanning electron micrograph)

© Dr. Yorgos Nikas/Science Source

CHAPTER

THE STUDY OF HUMAN ANATOMY

CHAPTER OUTLINE

- 1.1 The Scope of Human Anatomy 2
 - The Anatomical Sciences 2
 - Methods of Study 3
 - Variation in Human Structure 6
- 1.2 The Human Body Plan 8
 - Levels of Human Structure 8
 - The Human Organ Systems 9
 - The Terminology of Body Orientation 9
 - Major Body Regions 13
 - Body Cavities and Membranes 16
- 1.3 The Language of Anatomy 19
 - The Origins of Medical Terms 20
 - Analyzing Medical Terms 20
 - Variant Forms of Medical Terms 21
 - The Importance of Precision 22

Study Guide 22

DEEPER INSIGHTS

- **1.1** Situs Inversus and Other Unusual Anatomy 6
- 1.2 Cardiac Tamponade 17
- 1.3 Obscure Word Origins 21



Module 1: Body Orientation

This book is an introduction to the structure of the human body. It is meant primarily to provide a foundation for advanced study in fields related to health and fitness. Beyond that purpose, however, the study of anatomy can also provide a satisfying sense of self-understanding. Even as children, we are curious about what's inside the body. Dried skeletons, museum exhibits, and beautifully illustrated atlases of the body have long elicited widespread public fascination.

This chapter lays a foundation for our study of anatomy by considering some broad themes. We will consider what this science encompasses and what methods are used for the study of anatomy. We will lay out a general "road map" of the human body to provide a context for the chapters that follow. We will also get some insights into how a beginning anatomy student can become comfortable with medical terminology.

The Scope of Human Anatomy

Expected Learning Outcomes

When you have completed this section, you should be able to

- a. define anatomy and some of its subdisciplines;
- b. name and describe some approaches to studying anatomy;
- c. describe some methods of medical imaging; and
- d. discuss the variability of human anatomy.

Human anatomy is the study of the structural basis of body function. It provides an essential foundation for understanding **physiology**, the study of the functional relevance of that structure; anatomy and physiology together are the bedrock of the health sciences. You can study human anatomy from an atlas; yet as beautiful, fascinating, and valuable as atlases are, they teach almost nothing but the locations, shapes, and names of things. This book is different; it deals with what biologists call **functional morphology**¹—not just the structure of organs, but the functional reasons behind it.

Anatomy and physiology complement each other; each makes sense of the other, and each molds the other in the course of human development and evolution. We cannot delve into the details of physiology in this book, but enough will be said of function to help you make sense of human structure and to more deeply appreciate the beauty of human form.

The Anatomical Sciences

Anatomy is an ancient human interest, undoubtedly older than any written language we know. We can only guess when people began deliberately cutting into human bodies out of curiosity, simply to

know what was inside. Some of the earliest and most influential books of anatomy were written by the Greek philosopher Aristotle (384–322 BCE), the Greek physician Galen (129–c. 199 CE), and the Persian physician Avicenna (Ibn Sina, 980-1037 CE). For nearly 1,500 years, medical professors in Europe idolized these "ancient masters" and considered their works above reproach. Modern human anatomy, however, dates to the sixteenth century, when Flemish physician and professor Andreas Vesalius (1514-64) questioned the accuracy of the earlier authorities and commissioned the first accurate anatomical illustrations for his book, De Humani Corporis Fabrica (On the Structure of the Human Body, 1543) (fig. 1.1). The tradition begun by Vesalius has been handed down to us through such famous contemporary works as Gray's Anatomy, Frank Netter's Atlas of Human Anatomy, and many others, to the richly illustrated textbooks used by college students today.

For all its attention to the deceased body, or **cadaver**,² human anatomy is hardly a "dead science." New techniques of study continually produce exciting new insights into human structure and its functional relevance; anatomists have discovered far more about the human body in the last century than in the 2,500 years before. Anatomy now embraces several subdisciplines that study human structure from different perspectives. **Gross anatomy** is the study of structure visible to the naked eye, using methods such as surface observation, dissection, X-rays, and MRI scans. **Surface anatomy** is the external structure of the body, and is especially important in conducting a physical examination of a patient. **Radiologic anatomy** is the study of internal structure, using X-rays and other medical imaging techniques described in the next section.

Systemic anatomy is the study of one organ system at a time and is the approach taken by most introductory textbooks such as this one. **Regional anatomy** is the study of multiple organ systems at once in a given region of the body, such as the head or chest. (See the Atlas of Regional and Surface Anatomy on p. 329.) Medical schools and anatomy atlases typically teach anatomy from a regional perspective, because it is more practical to dissect all structures of the head and neck, the chest, or a limb, than it would be to try to dissect the entire digestive system, then the cardiovascular system, and so forth. Dissecting one system almost invariably destroys organs of other systems that stand in the way. Furthermore, as surgeons operate on a particular area of the body, they must think from a regional perspective and attend to the interrelationships of all structures in that area.

Ultimately, the structure and function of the body result from its individual cells. To see those, we usually take tissue specimens, thinly slice and stain them, and observe them under the microscope. This approach is called **histology** (**microscopic anatomy**). **Histopathology**³ is the microscopic examination of tissues for signs of disease. **Cytology**⁴ is the study of the structure and function of individual cells.

Anatomy, of course, is not limited to the study of humans, but extends to all living organisms. Even students of human structure

 $^{^{2}}$ from *cadere* = to fall down or die

³histo = tissue; patho = disease; logy = study of




Figure 1.1 Evolution of Medical Art. Two illustrations of the skeletal system made about 500 years apart. (a) From an eleventh-century work attributed to Persian physician Avicenna. (b) From *De Humani Corporis Fabrica* (1543) by Andreas Vesalius.

benefit from comparative anatomy-the study of more than one species in order to examine structural similarities and differences and analyze evolutionary trends. Anatomy students often begin by dissecting other animals with which we share a common ancestry and many structural similarities. Indeed, many of the reasons for human structure become apparent only when we look at the structure of other animals. In chapter 25, for example, you will see that physiologists had little idea of the purpose of certain tubular loops in the kidney (nephron loops) until they compared human kidneys with those of desert and aquatic animals, which have greater and lesser needs to conserve water. The greater an animal's need to conserve water (the drier its habitat), the longer these loops are. Thus, comparative anatomy hinted at the function of the nephron loop, which could then be confirmed through experimental physiology. Such are the insights that can be gained by comparing different species with each other.

Methods of Study

There are several ways to examine the structure of the human body. The simplest is **inspection**—simply looking at the body's appearance in careful detail, as in performing a physical examination or making a clinical diagnosis from surface appearance. Observations of the skin and nails, for example, can provide clues to such underlying problems as vitamin deficiencies, anemia, heart disease, and liver disease. Physical examinations involve not only looking at the body for signs of normalcy or disease, but also touching and listening to it. **Palpation**⁵ means feeling a structure with the hands, such as palpating a swollen lymph node or taking a pulse. **Auscultation**⁶ (AWS-cul-TAY-shun) is listening to the natural sounds made by the

⁵*palp* = touch, feel; *ation* = process ⁶*auscult* = listen; *ation* = process



Figure 1.2 Early Medical Students in the Gross Anatomy Laboratory with Three Cadavers.

body, such as heart and lung sounds. In **percussion**, the examiner taps on the body, feels for abnormal resistance, and listens to the emitted sound for signs of abnormalities such as pockets of fluid, air, or scar tissue.

A deeper understanding of the body depends on **dissection** (dis-SEC-shun)—the careful cutting and separation of tissues to reveal their relationships. The very words *anatomy*⁷ and *dissection*⁸ both mean "cutting apart"; until the nineteenth century, dissection was called "anatomizing." In many schools of health science, cadaver dissection is one of the first steps in the training of students (fig. 1.2).

Dissection, of course, is not the method of choice when studying a living person! Not long ago, it was common to diagnose disorders through **exploratory surgery**—opening the body and taking a look inside to see what was wrong and what could be done about it. Any breach of the body cavities is risky, however, and most exploratory surgery has now been replaced by **medical imaging** techniques—methods of viewing the inside of the body without surgery (fig. 1.3). The branch of medicine concerned with imaging is called **radiology.** Anatomy learned in this way is called **radiologic anatomy**, and those who use radiologic methods for clinical purposes include **radiologists** and **radiologic technicians.**

Some radiologic methods involve high-energy **ionizing radiation** such as X-rays or particles called positrons. These penetrate the tissues and can be used to produce images on X-ray film or through electronic detectors. The benefits of ionizing radiation must always be weighed against its risks. It is called *ionizing* because it ejects electrons from the atoms and molecules it strikes. This effect can cause mutation and trigger cancer. Thus, ionizing radiation cannot be used indiscriminately. Used judiciously, however, the benefits of a mammogram or dental X-ray substantially outweigh the small risk.

Some of the imaging methods to follow are considered *noninvasive* because they do not involve any penetration of the skin or body orifices. *Invasive* imaging techniques may entail inserting ultrasound probes into the esophagus, vagina, or rectum to get closer to the organ to be imaged, or injecting substances into the bloodstream or body passages to enhance image formation.

Any anatomy student today must be acquainted with the basic techniques of radiology and their respective advantages and limitations. Many of the images printed in this book have been produced by the following techniques.

Radiography

Radiography, first performed in 1895, is the process of photographing internal structures with X-rays. Until the 1960s, this was the only widely available imaging method; even today, it accounts for more than 50% of all clinical imaging. X-rays pass through the soft tissues of the body to a photographic film or detector on the other side, where they produce relatively dark images. They are absorbed, however, by dense tissues such as bones, teeth, tumors, and tuberculosis nodules, which leave the image lighter in these areas (fig. 1.3a). The term X-ray also applies to a photograph (radiograph) made by this method. Radiography is commonly used in dentistry, mammography, diagnosis of fractures, and examination of the chest. Hollow organs can be visualized by filling them with a *radiopaque* substance that absorbs X-rays. Barium sulfate, for example, is given orally for examination of the esophagus, stomach, and small intestine, or by enema for examination of the large intestine. Other substances are given by injection for angiography, the examination of blood vessels (fig. 1.3b). Some disadvantages of radiography are that images of overlapping organs can be confusing and slight differences in tissue density are not easily detected. In addition, X-rays present the aforementioned risks of ionizing radiation.

Computed Tomography

Computed tomography (a **CT scan**) is a more sophisticated application of X-rays. The patient is moved through a ring-shaped machine that emits low-intensity X-rays on one side and receives them with a detector on the opposite side. A computer analyzes signals from the detector and produces an image of a "slice" of the body about as thin as a coin (fig. 1.3c). The computer can "stack" a series of these images to construct a three-dimensional image of the body, So there is little organ overlap and the image is much sharper than a conventional X-ray. It requires extensive knowledge of cross-sectional anatomy to interpret the images. CT scanning is useful for identifying tumors, aneurysms, cerebral hemorrhages, kidney stones, and other abnormalities.


Magnetic Resonance Imaging

Magnetic resonance imaging (MRI) was conceived as a technique superior to CT for visualizing soft tissues (fig. 1.3d). The patient lies in a chamber surrounded by a large electromagnet that creates a very strong magnetic field. Hydrogen atoms in the tissues align themselves with the field. The technologist then activates a

Zephyr/Science Source




(a) X-ray (radiograph)




(b) Cerebral angiogram



(c) Computed tomographic (CT) scan



(d) Magnetic resonance image (MRI)



(e) Positron emission tomographic (PET) scan

Figure 1.3 Radiologic Images of the Head. (a) X-ray (radiograph) showing the bones and teeth. (b) An angiogram of the cerebral blood vessels. (c) A CT scan at the level of the eyes. (d) An MRI scan at the level of the eyes. The optic nerves appear in red and the muscles that move the eyes appear in green. (e) A PET scan of the brain of an unmedicated schizophrenic patient. Red areas indicate regions of high metabolic rate. In this patient, the visual center of the brain at the rear of the head (bottom of photo) was especially active during the scan.

• What structures are seen better by MRI than by X-ray? What structures are seen better by X-ray than by PET?

radio wave emitter, causing the hydrogen atoms to absorb additional energy and align in a different direction. When the radio waves are turned off, the hydrogen atoms abruptly realign to the magnetic field, giving off their excess energy at rates that depend on the type of tissue. A computer analyzes the emitted energy to produce an image of the body. MRI can "see" clearly through the skull and vertebral column to produce images of the nervous tissue. Moreover, it is better than CT for distinguishing between soft tissues such as the white and gray matter of the brain. It also avoids the harmful effects of X-rays. A disadvantage of MRI is that the patient must lie completely still in the enclosed space for about 45 minutes to scan one region of the body, and a complete procedure may entail 90 minutes to scan multiple regions such as the abdominal and pelvic cavities. Some patients find they cannot do this. MRI is also not very suitable for gastrointestinal imaging because it requires long exposures and the stomach and intestines move too much to create a sharp image. *Functional MRI (fMRI)* is a form of MRI that visualizes moment-to-moment changes in tissue function; fMRI scans of the brain, for example, show shifting patterns of activity as the brain applies itself to a specific sensory, mental, or motor task.

Apply What You Know

The concept of MRI was conceived in 1948 but could not be put into clinical practice until the 1970s. Speculate on a possible reason for this delay.

Miriam Maslo/Science Source

Positron Emission Tomography

Positron emission tomography (the **PET scan**) is used to assess the metabolic state of a tissue and to distinguish which tissues are most active at a given moment (fig. 1.3e). The procedure begins with an injection of radioactively labeled glucose, which emits positrons (electron-like particles with a positive charge). When a positron and electron meet, they annihilate each other and give off gamma rays that can be detected by sensors and processed by computer. The result is a color image that shows which tissues were using the most glucose. In cardiology, PET scans can show the extent of tissue death from a heart attack. Since damaged tissue consumes little or no glucose, it appears dark. In neuroscience, PET scans can similarly reveal the extent of brain damage from stroke or trauma. PET scans are also widely used to diagnose cancer and evaluate tumor status. The PET scan is an example of **nuclear medicine**—the use of radioisotopes to treat disease or to form diagnostic images of the body.

Sonography

Sonography⁹ is the second oldest and second most widely used method of imaging. A handheld device pressed against the skin emits high-frequency ultrasound waves and receives the signals reflected back from internal organs. Sonography avoids the harmful effects of X-rays, and the equipment is relatively inexpensive and portable. Its primary disadvantage is that it does not produce a very sharp image. Although sonography was first used medically in the 1950s, images of significant clinical value had to wait until computer technology had developed enough to analyze differences in the way tissues reflect ultrasound. Sonography is not very useful for examining bones or lungs, but it is the method of choice in obstetrics, where the image (sonogram) can be used to locate the placenta and evaluate fetal age, position, and development (fig. 1.4). Sonography can also be used to view tissues in motion, such as fetal movements, a beating heart, and blood ejection from the heart. Sonographic imaging of the beating heart is called *echocardiography*.

Variation in Human Structure

A quick look around any classroom is enough to show that no two humans look exactly alike; on close inspection, even identical twins exhibit differences. Anatomy atlases and textbooks can easily give you the impression that everyone's internal anatomy is the same, but this simply is not true. Books such as this one can teach you only the most common structure the anatomy seen in approximately 70% or more of people. Someone who thinks that all human bodies are the same internally would make a very confused medical student or an incompetent surgeon.

Some people completely lack certain organs. For example, most of us have a *palmaris longus* muscle in the forearm and a *plantaris* muscle in the leg, but not everyone. Most of us have five lumbar vertebrae (bones of the lower spine), but some have four and some have six. Most of us have one spleen, but some people have two. Most have two kidneys, but some have only one. Most kidneys are supplied by a single *renal artery* and drained by one *ureter*, but in some people, a single kidney has two renal arteries or ureters. Figure 1.5 shows some common variations in human anatomy, and Deeper Insight 1.1 describes a particularly dramatic variation.



Figure 1.4 Fetal Sonography. This threedimensional fetal image was made at 32 weeks of gestation. • Why is sonography safer for the fetus than radiography or computed tomography?



Ken Sala


DEEPER INSIGHT



Situs Inversus and Other Unusual Anatomy

In most people, the heart tilts toward the left, the spleen and sigmoid colon are on the left, the liver and gallbladder lie mainly on the right, the appendix is on the right, and so forth. This normal arrangement of the viscera is called *situs* (SITE-us) *solitus*. About 1 in 8,000 people is born, however, with a striking developmental abnormality called *situs inversus*—the organs of the thoracic and abdominal cavities are reversed between right and left. A selective left–right reversal of the heart is called *dextrocardia*. In *situs perversus*, a single organ occupies an atypical position, not necessarily a left–right reversal—for example, a kidney located low in the pelvic cavity instead of high in the abdominal cavity.

Some conditions, such as dextrocardia in the absence of complete situs inversus, can cause serious medical problems. Complete situs inversus, however, usually causes no functional problems because all of the viscera, though reversed, maintain their normal relationships to each other. Situs inversus is often diagnosed prenatally by sonography, but many people remain unaware of their condition for several decades until it is discovered by medical imaging, on physical examination, or in surgery. However, you can easily imagine the importance of such conditions in diagnosing appendicitis, performing gallbladder surgery, interpreting an X-ray, auscultating the heart valves, or recording an electrocardiogram.



Variations in branches of the aorta

Figure 1.5 Variations in Anatomy of the Kidneys and Major Arteries near the Heart.

• Apply What You Know

People who are allergic to penicillin or aspirin often wear Medic Alert bracelets or necklaces that note this fact in case they need emergency medical treatment and are unable to communicate. Why would it be important for a person with situs inversus to have this noted on a Medic Alert bracelet?

Before You Go On

Answer the following questions to test your understanding of the preceding section:

- 1. How does functional morphology differ from the sort of anatomy taught by a photographic atlas of the body?
- 2. Why would regional anatomy be a better learning approach than systemic anatomy for a cadaver dissection course?
- 3. What is the difference between radiology and radiography?
- 4. What are some reasons that sonography would be unsuitable for examining the size and location of a brain tumor?



Expected Learning Outcomes

When you have completed this section, you should be able to

- a. list in proper order the levels of structural complexity of the body, from organism to atoms;
- b. name the human organ systems and state the basic functions and components of each;
- c. describe anatomical position and explain why it is important in medical language;
- d. identify the three fundamental anatomical planes of the body;
- e. define several terms that describe the locations of structures relative to each other;
- f. identify the major body regions and their subdivisions;
- g. name and describe the body cavities and the membranes that line them; and
- h. explain what a potential space is, and give some examples.

The chapters that follow assume a certain core, common language of human structure. You will need to know what we mean by the names for the major body cavities and regions, know the difference between a tissue and an organ, and know where to look if you read that structure X is distal or medial to structure Y, for example. This section introduces this core terminology.

Levels of Human Structure

Although this book is concerned mainly with gross anatomy, the study of human structure spans all levels from the whole organism down to the atomic level. Consider for a moment an analogy to human structure: The English language, like the human body, is very complex, yet an endless array of ideas can be conveyed with a limited number of words. All words in the English language are, in turn, composed of various combinations of just 26 letters. Between the alphabet and a book are successively more complex levels of organization: syllables, words, sentences, paragraphs, and chapters. Humans have an analogous hierarchy of complexity (fig. 1.6), as follows:

The organism is composed of organ systems,

organ systems are composed of organs,

organs are composed of tissues,

tissues are composed of cells,

cells are composed (in part) of organelles,

organelles are composed of molecules, and

molecules are composed of atoms.

The **organism** is a single, complete individual, capable of acting separately from other individuals.




Figure 1.6 The Body's Structural Hierarchy from the Level of Organism to Atom. Each level depends on the structure and function of the level below it.

An **organ system** is a group of organs that carries out a basic function of the organism such as circulation, respiration, or digestion. The human body has 11 organ systems, defined and illustrated in the next section. Usually, the organs of a system are physically interconnected, such as the kidneys, ureters, urinary bladder, and urethra that compose the urinary system. The endocrine system, however, is a group of hormone-secreting glands and tissues that, for the most part, have no physical connection to each other.

An **organ** is any structure that has definite anatomical boundaries, is visually distinguishable from adjacent organs, and is composed of two or more tissue types working together to carry out a particular function. Most organs and higher levels of structure are within the domain of gross anatomy. However, there are organs within organs—the large organs visible to the naked eye contain smaller organs, some of which are visible only with the microscope. The skin, for example, is the body's largest organ. Included within it are thousands of smaller organs: Each hair follicle, nail, sweat gland, nerve, and blood vessel of the skin is an organ in itself.

A **tissue** is a mass of similar cells and cell products that forms a discrete region of an organ and performs a specific function. The body is composed of only four primary classes of tissue—epithelial, connective, nervous, and muscular tissue. *Histology*, the study of tissues, is the subject of chapter 3.

Cells are the smallest units of an organism considered to be alive. A cell is enclosed in a *plasma membrane* composed of lipids and protein, and it usually has one nucleus, an organelle that contains most of its DNA. *Cytology*, the study of cells and organelles, is the subject of chapter 2.

Organelles¹⁰ are microscopic structures in a cell that carry out its individual functions, much like organs such as the heart, liver, and kidneys carry out individual functions of the whole body. Organelles include the nucleus, mitochondria, lysosomes, centrioles, and others.

Organelles and other cellular components are composed of **molecules**—particles of at least two **atoms** joined by chemical bonds. The largest molecules, such as proteins, fats, and DNA, are called *macromolecules*.

The Human Organ Systems

As remarked earlier, human structure can be learned from the perspective of regional anatomy or systemic anatomy. This book takes the systemic approach, in which we will fully examine one organ system at a time. There are 11 organ systems in the human body, as well as an *immune system*, which is better described as a population of cells that inhabit multiple organs rather than as an organ system. The organ systems are illustrated and summarized in figure 1.7 in the order that they are covered by this book. They are classified in the following list by their principal functions, although this is an unavoidably flawed classification. Some organs belong to two or more systems—for example, the male urethra is part of both the urinary and reproductive systems; the pharynx is part of the digestive and respiratory systems; and the mammary glands belong to both the integumentary and female reproductive systems.

Systems of Protection, Support, and Movement

Integumentary system Skeletal system

Muscular system

Systems of Internal Communication and Integration

Nervous system

Endocrine system

Systems of Fluid Transport

Circulatory system

Lymphatic system

Systems of Intake and Output

Respiratory system Digestive system Urinary system

Systems of Reproduction

Male reproductive system

Female reproductive system

Some medical terms combine the names of two functionally related systems—for example, the *musculoskeletal system, cardio-pulmonary system*, and *urogenital (genitourinary) system*. Such terms serve to call attention to the close anatomical or physiological relationship between two systems, but these are not literally individual organ systems.

The Terminology of Body Orientation


When anatomists describe the body, they must indicate where one structure is relative to another, the direction in which a nerve or blood vessel travels, the directions in which body parts move, and so forth. Clear communication on such points requires a universal terminology and frame of reference.

Anatomical Position

In describing the human body, anatomists assume that it is in anatomical position—that of a person standing upright with the feet flat on the floor and close together, arms at the sides, and the palms and face directed forward (fig. 1.8). Without such a frame of reference, to say that a structure such as the sternum, thymus, or aorta is "above the heart" would be vague, since it would depend on whether the subject was standing, lying face down, or lying face up. From the perspective of anatomical position, however, we can describe the thyroid gland as superior to the heart, the sternum as anterior (ventral) to it, and the aorta as posterior (dorsal) to it. These descriptions remain valid regardless of the subject's position. Even if the body is lying down, such as a cadaver on the medical student's dissection table, to say that the sternum is anterior to the heart invites the viewer to imagine the body standing in anatomical position and not to call it "above the heart" simply because that is the way the body happens to be lying.


Unless stated otherwise, assume that all anatomical descriptions refer to anatomical position. Bear in mind that if a subject is facing you in anatomical position, the subject's left will be on your right and vice versa. In most anatomical illustrations, for example, the left atrium of the heart appears toward the right side of the page, and although the appendix is located in the right lower quadrant of the abdomen, it appears on the left side of most illustrations.

The forearm is said to be **supinated** when the palms face up or anteriorly and **pronated** when they face down or posteriorly (see fig. 9.13, p. 217); in anatomical position, the forearm is supinated. The words *prone* and *supine* seem similar to these but have an entirely different meaning. A person is **prone** if lying face down, and **supine** if lying face up.



(a) Lymphatic system **Respiratory system**

Urinary system



Female reproductive system




Figure 1.8 A Person Standing in Anatomical Position and Bisected Along the Three Principal Planes of Reference.

• What is another name for the specific sagittal plane shown here?

Anatomical Planes

Many views of the body are based on real or imaginary "slices" called sections or planes. *Section* implies an actual cut or slice to reveal internal anatomy, whereas *plane* implies an imaginary flat surface passing through the body. The three major anatomical planes are *sagittal, frontal,* and *transverse* (fig. 1.8).

A **sagittal**¹¹ (SADJ-ih-tul) **plane** extends vertically and divides the body or an organ into right and left portions. The **median** (**midsagittal**) **plane** passes through the midline of the body and divides it into *equal* right and left halves. Other sagittal planes parallel to this (off center), called **parasagittal**¹² **planes**, divide the body into unequal right and left portions. The head and pelvic organs are commonly illustrated on the median plane (fig. 1.9a).

A **frontal (coronal**¹³) **plane** also extends vertically, but it is perpendicular to the sagittal plane and divides the body into anterior (front) and posterior (back) portions. A frontal section of the head, for example, would divide it into one portion bearing the face and another bearing the back of the head. Contents of the thoracic and abdominal cavities are commonly shown in frontal section (fig. 1.9b).

A **transverse (horizontal) plane** passes across the body or an organ perpendicular to its long axis (fig. 1.9c); it divides the body into superior (upper) and inferior (lower) portions. CT scans are typically transverse sections (see fig. 1.3c), but not always.

Directional Terms

In "navigating" the human body and describing the locations of structures, anatomists use a set of standard **directional terms** (table 1.1). You will need to be very familiar with these in order to understand anatomical descriptions later in this book. The terms assume that the body is in anatomical position.

Most of these terms exist in pairs with opposite meanings: anterior versus posterior, superior versus inferior, medial versus lateral, proximal versus distal, and superficial versus deep. Intermediate directions are often indicated by combinations of these terms. For example, one structure may be described as anterolateral to another (toward the front and side).

The terms *proximal* and *distal* are used especially in the anatomy of the limbs, with *proximal* used to denote something relatively close to the limb's point of attachment (the shoulder or hip joint) and *distal* to denote something farther away. These terms do have some




Figure 1.9 Sections of the Body in the Three Primary Anatomical Planes. (a) Sagittal section of the pelvic region. (b) Frontal section of the thoracic region. (c) Transverse section of the head at the level of the eyes.

 $^{^{11}}sagitta = arrow$ $^{12}para = next to$ $^{13}corona = crown; al = like$

TABLE 1.1	Directional Terms in Human Anatomy	
Term	Meaning	Examples of Usage
Anterior	Toward the front of the body	The sternum is <i>anterior</i> to the heart.
Posterior	Toward the back of the body	The esophagus is <i>posterior</i> to the trachea.
Ventral	Toward the anterior side*	The abdomen is the <i>ventral</i> side of the body.
Dorsal	Toward the posterior side*	The scapulae are <i>dorsal</i> to the rib cage.
Superior	Above	The heart is <i>superior</i> to the diaphragm.
Inferior	Below	The liver is <i>inferior</i> to the diaphragm.
Cephalic	Toward the head or superior end	The cephalic end of the embryonic neural tube develops into the brain.
Rostral	Toward the forehead or nose	The forebrain is <i>rostral</i> to the brainstem.
Caudal	Toward the tail or inferior end	The spinal cord is <i>caudal</i> to the brain.
Medial	Toward the midline of the body	The heart is <i>medial</i> to the lungs.
Lateral	Away from the midline of the body	The eyes are <i>lateral</i> to the nose.
Proximal	Closer to the point of attachment or origin	The elbow is <i>proximal</i> to the wrist.
Distal	Farther from the point of attachment or origin	The fingernails are at the <i>distal</i> ends of the fingers.
Ipsilateral	On the same side of the body (right or left)	The liver is <i>ipsilateral</i> to the appendix.
Contralateral	On opposite sides of the body (right and left)	The spleen is <i>contralateral</i> to the liver.
Superficial	Closer to the body surface	The skin is <i>superficial</i> to the muscles.
Deep	Farther from the body surface	The bones are <i>deep</i> to the muscles.

*In humans only; definition differs for other animals. In human anatomy, anterior and posterior are usually used in place of ventral and dorsal.

applications to anatomy of the trunk of the body—for example, in referring to certain aspects of the intestines and the microscopic structure of the kidneys. But when describing the trunk and referring to a structure that lies above or below another in anatomical position, *superior* and *inferior* are the preferred terms. These terms are not usually used for the limbs. Although it may be technically correct, one would not generally say the elbow is superior to the wrist. Rather, it is proximal to the wrist.

Because of the bipedal, upright stance of humans, some directional terms have different meanings for humans than they do for other animals. Anterior, for example, denotes the region of the body that leads the way in normal locomotion. For a fourlegged animal such as a cat, this is the head end of the body; for a human, however, it is the front of the chest and abdomen. What we call anterior in a human would be called ventral in a cat. Posterior denotes the region that comes last in normal locomotion-the tail end of a cat but the back of a human. In the anatomy of most other animals, ventral denotes the surface of the body closest to the ground and *dorsal* denotes the surface farthest away from the ground. These two words are too entrenched in human anatomy to completely ignore them, but we will minimize their use in this book to avoid confusion. You must keep such differences in mind, however, when dissecting other animals for comparison to human anatomy.

One vestige of the term *dorsal* is **dorsum**, used to denote the upper surface of the foot and the back of the hand. If you consider how a quadrupedal animal stands, the corresponding surfaces of its paws are both uppermost, facing the same direction as the dorsal side of its trunk. Although these surfaces of the human hand and foot face entirely different directions in anatomical position, the term *dorsum* is still used.


Major Body Regions

Knowledge of the external anatomy and landmarks of the body is important in performing a physical examination and many other clinical procedures. For purposes of study, the body is divided into two major regions called the *axial* and *appendicular regions*. Smaller areas within the major regions are described in the following paragraphs and illustrated in figure 1.10.

Axial Region

The **axial region** consists of the **head**, **neck** (**cervical**¹⁴ **region**), and **trunk**. The trunk is further divided into the **thoracic region** above the diaphragm and the **abdominal region** below it.

```
^{14}cervic = neck
```



Femoral r. Popliteal r. Crural r.-

Tarsal r. Calcaneal r. (heel)

Figure 1.10 The Adult Female and Male Body Regions. (r. = region)

(c) Posterior (dorsal)

(d) Posterior (dorsal)

One way of referring to the locations of abdominal structures is to divide the region into quadrants. Two perpendicular lines intersecting at the umbilicus (navel) divide the abdomen into a **right upper quadrant (RUQ), right lower quadrant (RLQ), left upper quadrant (LUQ),** and **left lower quadrant (LLQ)** (fig. 1.11a, b). The quadrant scheme is often used to describe the site of an abdominal pain or abnormality.

The abdomen also can be divided into nine regions defined by four lines that intersect like a tic-tac-toe grid (fig. 1.11c, d). Each vertical line is called a *midclavicular line* because it passes through the midpoint of the clavicle (collarbone). The superior horizontal line is called the *subcostal*¹⁵ *line* because it connects the inferior borders of the lowest costal cartilages (cartilages connecting the tenth rib on each side to the inferior end of the sternum). The inferior horizontal line is called the *intertubercular*¹⁶ *line* because it passes from left to right between the tubercles (*anterior superior spines*) of the hip bones—two points of bone

¹⁵sub = below; cost = rib
¹⁶inter = between; tubercul = little swelling




Figure 1.11 The Four Quadrants and Nine Regions of the Abdomen. (a) External division into four quadrants. (b) Internal anatomy correlated with the quadrants. (c) External division into nine regions. (d) Internal anatomy correlated with the nine regions.

located about where the front pockets open on most pants. The three lateral regions of this grid, from upper to lower, are the left and right **hypochondriac**,¹⁷ **lumbar**, and **inguinal**¹⁸ **regions**. The three medial regions from upper to lower are the **epigastric**,¹⁹ **umbilical**, and **hypogastric (pubic)** regions.

Appendicular Region

The **appendicular** (AP-en-DIC-you-lur) **region** of the body consists of the **upper limbs** and **lower limbs** (also called *appendages* or *extremities*). The upper limb includes the **arm** (**brachial region**, BRAY-kee-ul), **forearm** (**antebrachial**²⁰ **region**, AN-teh-BRAY-kee-ul), **wrist** (**carpal region**), **hand** (**manual region**), and **fingers** (**digits**). The lower limb includes the **thigh** (**femoral region**), **leg** (**crural region**, CROO-rul), **ankle** (**tarsal region**), **foot** (**pedal region**, PEE-dul), and **toes** (**digits**). In strict anatomical terms, *arm* refers only to that part of the upper limb between the shoulder and elbow. *Leg* refers only to that part of the lower limb between the knee and ankle.

A **segment** of a limb is a region between one joint and the next. The arm, for example, is the segment between the shoulder and elbow joints, and the forearm is the segment between the elbow and wrist joints. Slightly flexing your fingers, you can easily see that your thumb has two segments (proximal and distal), whereas the other four digits have three segments (proximal, middle, and distal). The segment concept is especially useful in describing the locations of bones and muscles and the movements of the joints.



¹⁸inguin = groin

¹⁹epi = above, over; gastr = stomach

 $^{20}ante =$ fore, before; brachi = arm

Body Cavities and Membranes

The body wall encloses several **body cavities**, each lined by a membrane and containing internal organs called the **viscera** (VISS-er-uh) (singular, $viscus^{21}$) (fig. 1.12, table 1.2).

 $^{21}viscus = body organ$

TABLE 1.2	Body Cavities and Membranes			
Name of Cavity	Associated Viscera	Membranous Lining		
Cranial cavity	Brain	Meninges		
Vertebral canal	Spinal cord	Meninges		
Thoracic cavity				
Pleural cavities (2)	Lungs	Pleura		
Pericardial cavity	Heart	Pericardium		
Abdominopelvic cavity				
Abdominal cavity	Digestive organs, spleen, kidneys, ureters	Peritoneum		
Pelvic cavity	Bladder, rectum, reproductive organs	Peritoneum		




Figure 1.12 The Major Body Cavities.

The Cranial Cavity and Vertebral Canal

The **cranial** (CRAY-nee-ul) **cavity** is enclosed by the cranial bones (braincase) of the skull and contains the brain. The **vertebral canal** is enclosed by the vertebral column (spine, backbone) and contains the spinal cord. The two are continuous with each other and lined by three membrane layers called the **meninges** (meh-NIN-jeez). Among other functions, the meninges protect the delicate nervous tissue from the hard protective bone that encloses it, and anchor the spinal cord to the vertebral column and limit its movement.

The Thoracic Cavity

During embryonic development, a space called the **coelom** (SEEloam) forms within the trunk (see fig. 4.5c, p. 91). It subsequently becomes partitioned by a muscular sheet, the **diaphragm**, into a superior **thoracic cavity** and an inferior **abdominopelvic cavity**. Both cavities are lined with thin **serous membranes**, which secrete a lubricating film of moisture similar to blood serum (hence their name).

The thoracic cavity is divided by a thick partition called the **mediastinum**²² (ME-dee-ah-STY-num) (fig. 1.12b). This is the region between the lungs, extending from the base of the neck to the diaphragm, occupied by the heart, the major blood vessels connected to it, the esophagus, the trachea and bronchi, and a gland called the *thymus*.

A two-layered serous membrane called the **pericardium**²³ wraps around the heart. The inner layer of the pericardium forms the surface of the heart itself and is called the **visceral** (VISSer-ul) **pericardium (epicardium).** The outer layer is called the **parietal**²⁴ (pa-RY-eh-tul) **pericardium (pericardial sac).** It is separated from the visceral pericardium by a space called the **pericardial cavity** (fig. 1.13a) (see Deeper Insight 1.2). This space is lubricated by a thin film of **pericardial fluid.**


DEEPER INSIGHT

Cardiac Tamponade

Being confined by the pericardium can cause a problem for the heart under some circumstances. If a heart wall weakened by disease should rupture, blood spurts from the heart chamber into the pericardial cavity, filling the cavity more and more with each heartbeat. Diseased hearts also sometimes seep serous fluid into the pericardial sac. Either way, the effect is the same: The pericardial sac has little room to expand, so the accumulating fluid puts pressure on the heart, squeezing it and preventing it from refilling between beats. This condition is called *cardiac tamponade*. If the heart chambers cannot refill, then cardiac output declines and a person may die of catastrophic circulatory failure. A similar situation occurs if serous fluid or air accumulates in the pleural cavity, causing collapse of a lung.

The right and left sides of the thoracic cavity contain the lungs. A serous membrane called the **pleura**²⁵ (PLOOR-uh) wraps around each lung (fig. 1.13b). Like the pericardium, the pleura has visceral (inner) and parietal (outer) layers. The **visceral pleura** forms the external surface of the lung, and the **parietal pleura** lines the inside of the rib cage. The narrow space between them is called the **pleural cavity** (see fig. A.11, p. 340). It is lubricated by slippery **pleural fluid.**

Note that in both the pericardium and pleura, the visceral layer of the membrane *covers* the surface of an organ and the parietal layer *lines* the inside of a body cavity. We will see this pattern repeated elsewhere, including the abdominopelvic cavity.



(a) Pericardium

(b) Pleurae



1.2

The Abdominopelvic Cavity

The abdominopelvic cavity consists of the **abdominal cavity** superiorly and the **pelvic cavity** inferiorly. The abdominal cavity contains most of the digestive organs as well as the spleen, kidneys, and ureters. It extends inferiorly to the level of a bony landmark called the *brim* of the pelvis (see fig. 8.6, p. 191, and fig. A.7, p. 337). The pelvic cavity, below the brim, is continuous with the abdominal cavity (no wall separates them), but it is markedly narrower and tilts posteriorly (see fig. 1.12a). It contains the rectum, urinary bladder, urethra, and reproductive organs.

The abdominopelvic cavity contains a two-layered serous membrane called the **peritoneum**²⁶ (PERR-ih-toe-NEE-um). The **parietal peritoneum** lines the cavity wall. The **visceral peritoneum** turns inward from the body wall, wraps around the abdominal viscera, binds them to the body wall or suspends them from it, and holds them in their proper place. The **peritoneal cavity** is the space between the parietal and visceral layers. It is lubricated by **peritoneal fluid.**

Some organs of the abdominal cavity lie against the posterior body wall and are covered by peritoneum only on the side facing the peritoneal cavity. They are said to have a **retroperitoneal**²⁷ position (fig. 1.14). These include the kidneys; ureters; adrenal glands; most of the pancreas; and abdominal portions of two major blood vessels, the aorta and inferior vena cava (see fig. A.6, p. 336). Organs that are encircled by peritoneum and connected to the posterior body wall by peritoneal sheets are described as **intraperitoneal.**²⁸

The intestines are suspended from the posterior abdominal wall by a translucent membrane called the **posterior mesentery**²⁹ (MESS-en-tare-ee), an infolding of the peritoneum (fig. 1.15). The

```
^{26}peri = around; tone = stretched
^{27}retro = behind
```

$^{28}intra = within$

posterior mesentery of the large intestine is called the **mesocolon**. In some places, after wrapping around the intestines or other viscera, the mesentery continues toward the anterior body wall as the **anterior mesentery**. The most prominent example of this is a fatty membrane called the **greater omentum**,³⁰ which hangs like an apron from the inferolateral margin of the stomach and overlies the intestines (see fig. A.4, p. 334). It is unattached at its inferior border and can be lifted to reveal the intestines. A smaller **lesser omentum** extends from the superomedial margin of the stomach to the liver.

Where the visceral peritoneum meets an organ such as the stomach or small intestine, it divides and wraps around it, forming an outer layer of the organ called the **serosa** (seer-OH-sa) (fig. 1.14). The visceral peritoneum thus consists of the mesenteries and serosae.

Potential Spaces

 $^{30}omentum = covering$

Some of the spaces between body membranes are considered to be **potential spaces**, so named because under normal conditions, the membranes are pressed firmly together and there is no actual space between them. The membranes are not physically attached, however, and under unusual conditions, they may separate and create a space filled with fluid or other matter. Thus, there is only a potential for the membranes to separate and create a space.

The pleural cavity is one example. Normally, the parietal and visceral pleurae are pressed together without a gap between them, but under pathological conditions, air or serous fluid can accumulate between the membranes and open up a space. Another example is the internal cavity (*lumen*) of the uterus. In a nonpregnant uterus, the mucous membranes of the opposite walls are pressed together, so there is little or no open space in the organ. In pregnancy, of course, a growing fetus occupies this space and pushes the mucous membranes apart.





Figure 1.14 Transverse Section Through the Abdomen. Shows the peritoneum (thin blue line), peritoneal cavity (with most viscera omitted), and some retroperitoneal organs (between peritoneum and posterior body wall).

 $^{^{29}}mes = in the middle; enter = intestine$



0

Figure 1.15 Serous Membranes of the Abdominal Cavity. (a) Diagram of the abdomen in sagittal section, left lateral view. (b) Surgical photograph of an intestinal mesentery.

Is the urinary bladder in the peritoneal cavity?

Before You Go On

Answer the following questions to test your understanding of the preceding section:

- 5. Put the following list in order from the largest and most complex to the smallest and least complex components of the human body: cells, molecules, organelles, organs, organ systems, tissues.
- Name the organ system responsible for each of the following functions: (a) movement and distribution of blood;
 (b) water retention, sensation, and protection from infection;
 (c) hormone secretion;
 (d) nutrient breakdown and absorption; and (e) recovery of excess tissue fluid and detection of pathogens in the tissues.
- State the directional term that describes the position of

 (a) the spinal cord relative to the heart;
 (b) the eyes relative to the nose;
 (c) the urinary bladder relative to the intestines;
 (d) the diaphragm relative to the liver; and (e) skin relative to the muscles.
- State the alternative anatomical terms for the regions commonly known as the neck, the sole of the foot, the lower back, the buttocks, and the calf.
- 9. Name the membranes that enclose the brain, the heart, the lungs, and the abdominal cavity.

The Language1.3 of Anatomy

Expected Learning Outcomes

When you have completed this section, you should be able to

- a. explain why modern anatomical terminology is so heavily based on Greek and Latin;
- b. recognize eponyms when you see them;
- c. describe the efforts to achieve an internationally uniform anatomical terminology;
- d. discuss the Greek, Latin, or other derivations of medical terms;
- e. state some reasons why the literal meaning of a word may not lend insight into its definition;
- f. relate singular noun forms to their plural forms; and
- g. discuss why precise spelling is important in medical communication.

One of the greatest challenges faced by anatomy students is the vocabulary. In this book, you will encounter such Latin terms as *corpus callosum* (a brain structure), *ligamentum arteriosum*